



ES16



ES36



BT28



ED17



E17




ED28



ED37



BT37



BT56

Watts	Bulb	Base	Order Code	Description		Pkg. Qty.	Apprx. Hours	Burning Position	Apprx. Initial Lumen	Apprx. Mean Lumen	Kelvin Temp.	CRI
<b>BRITESPOT METAL HALIDE</b>												
20	ES16	GX10	<b>20278</b>	MBS ES16 20W (3)	24°	15	6000	BASE UP/HORIZ.	3200 (2)	1360	3000	92
			<b>20276</b>	MBS ES16 20W (3)	38°	15	6000	BASE UP/HORIZ.	1800 (2)	1360	3000	92
			<b>20277</b>	MBS ES16 20W (3)	60°	15	6000	BASE UP/HORIZ.	920 (2)	1360	3000	92
39	ES16	GX10	<b>20272</b>	MBS ES16 39W (3)	24°	15	6000	BASE UP/HORIZ.	8000 (2)	3250	3000	92
			<b>20270</b>	MBS ES16 39W (3)	38°	15	6000	BASE UP/HORIZ.	4000 (2)	3250	3000	92
			<b>20271</b>	MBS ES16 39W (3)	60°	15	6000	BASE UP/HORIZ.	2000 (2)	3250	3000	92
		GZ10	<b>20273</b>	MBS ESD16 39W (4)	24°	15	6000	UNIVERSAL	8000	3250	3000	92
			<b>20274</b>	MBS ESD16 39W (4)	38°	15	6000	UNIVERSAL	4000	3250	3000	92
			<b>20275</b>	MBS ESD16 39W (4)	60°	15	6000	UNIVERSAL	2000	3250	3000	92
39	ES36	GX10	<b>20250</b>	MBS ES36 39W (3)	8°	15	6000	BASE UP/HORIZ.	40000 (2)	3250	3000	92
			<b>20251</b>	MBS ES36 39W (3)	24°	15	6000	BASE UP/HORIZ.	10000 (2)	3250	3000	92
<b>PULSE START METAL HALIDE</b>												
175	ED28	Mog	<b>29000</b>	MH175/PS/BU		12	15000	BASE UP	17500	12800	4000	65
250	BT28	Mog	<b>29001</b>	MH250/PS/BU		6	20000	BASE UP	23500	17000	4000	65
320	BT28	Mog	<b>29003</b>	MH320/PS/HBU		6	20000	BASE UP	32000	21000	4000	65
					HORIZONTAL			30000	19700	4000	65	
350	BT37	Mog	<b>29113</b>	MH350/400/PS/BU		6	20000	BASE UP	33000	24500	3700	65
400	BT37	Mog	<b>29004</b>	MH400/PS/BU		6	20000	BASE UP	42000	31000	4000	65
1000	BT56	Mog	<b>29005</b>	MH1000/PS/BU		6	15000	BASE UP	110000	96000	3800	65
					HORIZONTAL			109000	87500	3800	65	
<b>PROTECTED METAL HALIDE</b>												
70	E17	Med	<b>28901</b>	MH70/P/U		20	15000	UNIVERSAL	5200	3400	3000	75
100	E17	Med	<b>28904</b>	MH100/P/U		20	15000	UNIVERSAL	8500	5525	3000	75
360	BT37	Med	<b>29120</b>	MH360/P/ES/BU		6	20000	BASE UP	36000	23500	4000	65
400	BT37	EX39MOG	<b>29100</b>	MH400/P/BU		6	20000	BASE UP	40000	26000	3000	65
1000	BT56	EX39MOG	<b>29101</b>	MH1000/P/BU		6	12000	BASE UP	109000	875000	3000	65
<b>STANDARD METAL HALIDE</b>												
50	ED17	Med	<b>30023</b>	MH50/U/MED (1)		12	10000	UNIVERSAL	3400	2700	4000	65
70	ED17	Med	<b>20301</b>	MH70/U/MED (1)		12	15000	UNIVERSAL	5600	4200	4000	65
100	ED17	Med	<b>20302</b>	MH100/U/MED (1)		12	15000	UNIVERSAL	9000	6800	4000	65
150	ED17	Med	<b>20303</b>	MH150/U/MED (1)		12	15000	UNIVERSAL	13300	10000	4000	65
175	ED17	Med	<b>30006</b>	MH175/U/MED (1)		12	15000	UNIVERSAL	14000	10500	4000	65
	BT28	Mog	<b>30007</b>	MH175/U (1)		6	10000	UNIVERSAL	15000	11300	4000	65
250	BT28	Mog	<b>30009</b>	MH250/U (1)		6	10000	UNIVERSAL	20500	17000	4000	65
400	ED37	Mog	<b>30011</b>	MH400/U (1)		6	20000	UNIVERSAL	36000	28800	4000	65
	BT28	Mog	<b>30015</b>	MH400/U/ED28		6	20000	UNIVERSAL	36000	28800	4000	65
1000	BT56	Mog	<b>30003</b>	MH1000/U (1)		6	12000	UNIVERSAL	110000	88000	3700	65
	ED37	Mog	<b>80374</b>	MH1000/U/ED37		6	10000	UNIVERSAL	110000	71500	3700	65
1500	BT56	Mog	<b>30004</b>	MH1500/HBU (1)		6	6000	BASE UP/HORIZ.	155000	140000	3700	65

- (1) For Use In Enclosed Fixtures
- (2) Candela
- (3) Aluminum Reflector
- (4) Dichroic Reflector